

## Author Index

- Agarwal, N., see Jomary, C. (29) 172
- Ahir, A., see Jomary, C. (29) 172
- Angulo, J.A., Williams, A., Ledoux, M., Watanabe, Y. and McEwen, B.S. Elevation of striatal and accumbal pre-proenkephalin, preprotachykinin and preprodynorphin mRNA abundance subsequent to *N*-methyl-D-aspartate receptor blockade with MK-801 (29) 15
- Antonelli, M.C., see Eakin, T.J. (29) 71
- Azmitia, E.C., see Ueda, S. (29) 365
- Baas, F., see Piosik, P.A. (29) 119
- Baskin, D.G., see Eakin, T.J. (29) 71
- Bassett, N.S., see Beilharz, E.J. (29) 81
- Beckwith, J.P., see Eastwood, S.L. (29) 211
- Beilharz, E.J., Bassett, N.S., Sirimanne, E.S., Williams, C.E. and Gluckman, P.D. Insulin-like growth factor II is induced during wound repair following hypoxic-ischemic injury in the developing rat brain (29) 81
- Beilharz, E.J., Williams, C.E., Dragunow, M., Sirimanne, E.S. and Gluckman, P.D. Mechanisms of delayed cell death following hypoxic-ischemic injury in the immature rat: evidence for apoptosis during selective neuronal loss (29) 1
- Belin, M.-F., see Besançon, R. (29) 253
- Bell III, J., see Ueda, S. (29) 365
- Besançon, R., Chouaf, L., Jouvet, A., Sliwinski, S., Belin, M.-F. and Fèvre-Montange, M. Developmental expression of tryptophan hydroxylase mRNAs in the rat pineal gland: an in situ hybridization study (29) 253
- Björklund, A., see Campbell, K. (29) 273
- Bolhuis, P.A., see Piosik, P.A. (29) 119
- Brewster, W.J., Fernyhough, P., Diemel, L.T., Mohiuddin, L. and Tomlinson, D.R. Changes in nerve growth factor and preprotachykinin messenger RNA levels in the iris and trigeminal ganglion in diabetic rats; effects of treatment with insulin or nerve growth factor (29) 131
- Broad, K.D., Keverne, E.B. and Kendrick, K.M. Corticotrophin releasing factor mRNA expression in the sheep brain during pregnancy, parturition and lactation and following exogenous progesterone and oestrogen treatment (29) 310
- Burnet, P.W.J., see Eastwood, S.L. (29) 211
- Buttiglione, M., Cangiano, G., Goridis, C. and Gennarini, G. Characterization of the 5' and promoter regions of the gene encoding the mouse neuronal cell adhesion molecule F3 (29) 297
- Campbell, K. and Björklund, A. Neurotransmitter-related gene expression in intrastriatal striatal transplants. III. Regulation by host cortical and dopaminergic afferents (29) 273
- Cangiano, G., see Buttiglione, M. (29) 297
- Caput, D., see Rodriguez, M. (29) 369
- Carillon, C., see Rodriguez, M. (29) 369
- Cerezo, J.R., Jiménez, F. and Moya, F. Characterization and gene cloning of *Drosophila* syntaxin 1 (Dsynt1): the fruit fly homologue of rat syntaxin 1 (29) 245
- Chan, S.-O. and Chiu, F.-C. Cloning and developmental expression of human 66 kd neurofilament protein (29) 177
- Chang, S., see Mack, K.J. (29) 140
- Charness, M.E., see Shiromani, P.J. (29) 163
- Chiaramello, A., Soosaar, A., Neuman, T. and Zuber, M.X. Differential expression and distinct DNA-binding specificity of ME1a and ME2 suggest a unique role during differentiation and neuronal plasticity (29) 107
- Chiasson, B.J., Dennison, Z. and Robertson, H.A. Amygdala kindling and immediate-early genes (29) 191
- Chiu, F.-C., see Chan, S.-O. (29) 177
- Chouaf, L., see Besançon, R. (29) 253
- Ciaranello, R.D., see Zhong, P. (29) 23
- Claude, P.A., see Prather, P.L. (29) 336
- Coquerel, A., see Rodriguez, M. (29) 369
- Craviso, G.L., Hemelt, V.B. and Waymire, J.C. The transient nicotinic stimulation of tyrosine hydroxylase gene transcription in bovine adrenal chromaffin cells is independent of c-fos gene activation (29) 233
- Da Costa, A.C., see Vellucci, S.V. (29) 64
- Daunais, J.B. and McGinty, J.F. Cocaine binges differentially alter striatal preprodynorphin and zif/268 mRNAs (29) 201
- Dennison, Z., see Chiasson, B.J. (29) 191
- Diemel, L.T., see Brewster, W.J. (29) 131
- Dragunow, M., see Beilharz, E.J. (29) 1
- Eakin, T.J., Antonelli, M.C., Malchiodi, E.L., Baskin, D.G. and Stahl, W.L. Localization of the plasma membrane  $\text{Ca}^{2+}$ -ATPase isoform PMCA3 in rat cerebellum, choroid plexus and hippocampus (29) 71
- Eastwood, S.L., McDonald, B., Burnet, P.W.J., Beckwith, J.P., Kerwin, R.W. and Harrison, P.J. Decreased expression of mRNAs encoding non-NMDA glutamate receptors GluR1 and GluR2 in medial temporal lobe neurons in schizophrenia (29) 211
- Emson, P.C., see Señaris, R.M. (29) 185
- Erdmann, J., see Shimron-Abaranell, D. (29) 387
- Fernyhough, P., see Brewster, W.J. (29) 131
- Ferrara, P., see Rodriguez, M. (29) 369
- Fèvre-Montange, M., see Besançon, R. (29) 253
- Follesa, P. and Ticku, M.K. Chronic ethanol treatment differentially regulates NMDA receptor subunit mRNA expression in rat brain (29) 99
- García-Segura, L.M., see Lafarga, M. (29) 317
- Geffard, M., see Okamura, H. (29) 358
- Gennarini, G., see Buttiglione, M. (29) 297
- Gluckman, P.D., see Beilharz, E.J. (29) 1
- Gluckman, P.D., see Beilharz, E.J. (29) 81
- Goridis, C., see Buttiglione, M. (29) 297
- Griffin, S.A., see Scott, A.W. (29) 347
- Guminski, B.J.M., see Sorg, B.A. (29) 381
- Hamada, Y., see Higuchi, M. (29) 263
- Harrison, P.J., see Eastwood, S.L. (29) 211
- Hayakawa, T., see Higuchi, M. (29) 263
- Hemelt, V.B., see Craviso, G.L. (29) 233
- Herman, J.P., see Numan, S. (29) 391
- Hidaka, K., see Matsumoto, M. (29) 157
- Higuchi, M., Kiyama, H., Hayakawa, T., Hamada, Y. and Tsujimoto, Y. Differential expression of Notch1 and Notch2 in developing and adult mouse brain (29) 263
- Hooks, M.S., see Sorg, B.A. (29) 381
- Houtani, T., see Tsukahara, Y. (29) 376
- Humphrey, P.P.A., see Señaris, R.M. (29) 185

- Ibata, Y., see Okamura, H. (29) 358  
 Ihara, Y., see Oyama, F. (29) 92  
 Ikeda, M., see Tsukahara, Y. (29) 376  
 Inouye, S.-I.T., see Okamura, H. (29) 358
- Jacobs, A.J., Kamholz, J. and Selzer, M.E.  
 The single lamprey neurofilament subunit (NF-180) lacks multiphosphorylation repeats and is expressed selectively in projection neurons (29) 43  
 Jiménez, F., see Cerezo, J.R. (29) 245  
 Jomary, C., Ahir, A., Agarwal, N., Neal, M.J. and Jones, S.E.  
 Spatio-temporal pattern of ocular clusterin mRNA expression in the *rd* mouse (29) 172  
 Jones, S.E., see Jomary, C. (29) 172  
 Jouvet, A., see Besançon, R. (29) 253
- Kalivas, P.W., see Sorg, B.A. (29) 381  
 Kamholz, J., see Jacobs, A.J. (29) 43  
 Kamphuis, W. and Lopes da Silva, F.H.  
 Editing status at the Q/R site of glutamate receptor-A, -B, -5 and -6 subunit mRNA in the hippocampal kindling model of epilepsy (29) 35  
 Kawakami, F., see Okamura, H. (29) 358  
 Kendrick, K.M., see Broad, K.D. (29) 310  
 Kendrick, K.M., see Vellucci, S.V. (29) 64  
 Kerwin, R.W., see Eastwood, S.L. (29) 211  
 Keverne, E.B., see Broad, K.D. (29) 310  
 Kiryu, S., Morita, N., Ohno, K., Maeno, H. and Kiyama, H.  
 Regulation of mRNA expression involved in Ras and PKA signal pathways during rat hypoglossal nerve regeneration (29) 147  
 Kiyama, H., see Higuchi, M. (29) 263  
 Kiyama, H., see Kiryu, S. (29) 147  
 Koistinaho, J. and Sagar, S.M.  
 Light-induced *c-fos* expression in amacrine cells in the rabbit retina (29) 53  
 Kokotos Leonardi, E.T., see Ueda, S. (29) 365
- Lafarga, M., García-Segura, L.M., Rodriguez, J.R. and Suau, P.  
 Expression of histone H1° in transcriptionally activated supraoptic neurons (29) 317  
 Law, P.Y., see Prather, P.L. (29) 336  
 Ledoux, M., see Angulo, J.A. (29) 15  
 Le Fur, G., see Rodriguez, M. (29) 369  
 Liu-Chen, L.Y., see Prather, P.L. (29) 336  
 Loh, H.H., see Prather, P.L. (29) 336  
 Lopes da Silva, F.H., see Kamphuis, W. (29) 35  
 Luedtke, R.R., see Scott, A.W. (29) 347  
 Lundgren, K.H., see Numan, S. (29) 391  
 Luque, J.M., Malherbe, P. and Richards, J.G.  
 Localization of NMDA receptor subunit mRNAs in the rat locus coeruleus (29) 224
- Mack, K.J., Yi, S.-D., Chang, S., Millan, N. and Mack, P.  
 NGFI-C expression is affected by physiological stimulation and seizures in the somatosensory cortex (29) 140
- Mack, P., see Mack, K.J. (29) 140  
 Maeno, H., see Kiryu, S. (29) 147  
 Magner, M., see Shiromani, P.J. (29) 163  
 Malchiodi, E.L., see Eakin, T.J. (29) 71  
 Malherbe, P., see Luque, J.M. (29) 224  
 Matsumoto, K., see Mori, T. (29) 325  
 Matsumoto, M., Hidaka, K., Tada, S., Tasaki, Y. and Yamaguchi, T.  
 Full-length cDNA cloning and distribution of human dopamine D4 receptor (29) 157  
 McDonald, B., see Eastwood, S.L. (29) 211  
 McEwen, B.S., see Angulo, J.A. (29) 15  
 McGinn, T.M., see Prather, P.L. (29) 336  
 McGinty, J.F., see Daunais, J.B. (29) 201  
 Millan, N., see Mack, K.J. (29) 140  
 Mohiuddin, L., see Brewster, W.J. (29) 131  
 Moody, C.A., see Sherman, T.G. (29) 285  
 Mori, T., Wanaka, A., Taguchi, A., Matsumoto, K. and Tohyama, M.  
 Differential expressions of the *eph* family of receptor tyrosine kinase genes (*sek*, *elk*, *eck*) in the developing nervous system of the mouse (29) 325  
 Morita, N., see Kiryu, S. (29) 147  
 Moya, F., see Cerezo, J.R. (29) 245
- Nakanishi, S., see Tsukahara, Y. (29) 376  
 Neal, M.J., see Jomary, C. (29) 172  
 Neuman, T., see Chiaramello, A. (29) 107  
 Nishiwaki, T., see Okamura, H. (29) 358  
 Nöthen, M.M., see Shimron-Abarbanell, D. (29) 387
- Numan, S., Lundgren, K.H., Wright, D.E., Herman, J.P. and Seroogy, K.B.  
 Increased expression of 5HT<sub>2</sub> receptor mRNA in rat striatum following 6-OHDA lesions of the adult nigrostriatal pathway (29) 391
- Ohkura, S., see Vellucci, S.V. (29) 64  
 Ohno, K., see Kiryu, S. (29) 147  
 Okamura, H., Kawakami, F., Tamada, Y., Geffard, M., Nishiwaki, T., Ibata, Y. and Inouye, S.-I.T.  
 Circadian change of VIP mRNA in the rat suprachiasmatic nucleus following *p*-chlorophenylalanine (PCPA) treatment in constant darkness (29) 358  
 Oyama, F., Shimada, H., Oyama, R. and Ihara, Y.  
 Apolipoprotein E genotype, Alzheimer's pathologies and related gene expression in the aged population (29) 92  
 Oyama, R., see Oyama, F. (29) 92
- Parrott, R.F., see Vellucci, S.V. (29) 64  
 Piosik, P.A., Van Groenigen, M., Ponne, N.J., Bolhuis, P.A. and Baas, F.  
 RC3/neurogranin structure and expression in the caprine brain in relation to congenital hypothyroidism (29) 119  
 Ponne, N.J., see Piosik, P.A. (29) 119  
 Prather, P.L., McGinn, T.M., Claude, P.A., Liu-Chen, L.Y., Loh, H.H. and Law, P.Y.  
 Properties of a κ-opioid receptor expressed in CHO cells: interaction with multiple G-proteins is not specific for any individual G<sub>α</sub> subunit and is similar to that of other opioid receptors (29) 336
- Propring, P., see Shimron-Abarbanell, D. (29) 387
- Richards, J.G., see Luque, J.M. (29) 224  
 Robertson, H.A., see Chiasson, B.J. (29) 191  
 Rodriguez, J.R., see Lafarga, M. (29) 317  
 Rodriguez, M., Carillon, C., Coquerel, A., Le Fur, G., Ferrara, P., Caput, D. and Shire, D.  
 Evidence for the presence of β3-adrenergic receptor mRNA in the human brain (29) 369
- Sagar, S.M., see Koistinaho, J. (29) 53  
 Schindler, M., see Señaris, R.M. (29) 185  
 Scott, A.W., Griffin, S.A. and Luedtke, R.R.  
 Genetic polymorphisms at the rat and murine loci coding for dopamine D2-like receptors (29) 347  
 Selzer, M.E., see Jacobs, A.J. (29) 43  
 Señaris, R.M., Schindler, M., Humphrey, P.P.A. and Emson, P.C.  
 Expression of somatostatin receptor 3 mRNA in the motoneurones of the rat spinal cord, and the sensory neurones of the spinal ganglia (29) 185  
 Seroogy, K.B., see Numan, S. (29) 391  
 Sherman, T.G. and Moody, C.A.  
 Alterations in tyrosine hydroxylase expression following partial lesions of the nigrostriatal bundle (29) 285  
 Shimada, H., see Oyama, F. (29) 92  
 Shimron-Abarbanell, D., Nöthen, M.M., Erdmann, J. and Propring, P.  
 Lack of genetically determined structural variants of the human serotonin-1E (5-HT<sub>1E</sub>) receptor protein points to its evolutionary conservation (29) 387  
 Shire, D., see Rodriguez, M. (29) 369  
 Shiromani, P.J., Magner, M., Winston, S. and Charness, M.E.  
 Time course of phosphorylated CREB and Fos-like immunoreactivity in the hypothalamic supraoptic nucleus after salt loading (29) 163  
 Sirimanne, E.S., see Beilharz, E.J. (29) 1  
 Sirimanne, E.S., see Beilharz, E.J. (29) 81  
 Sliwinski, S., see Besançon, R. (29) 253  
 Soosaar, A., see Chiaramello, A. (29) 107  
 Sorg, B.A., Guminski, B.J.M., Hooks, M.S. and Kalivas, P.W.  
 Cocaine alters glutamic acid decarboxylase differentially in the nucleus accumbens core and shell (29) 381  
 Stahl, W.L., see Eakin, T.J. (29) 71  
 Suau, P., see Lafarga, M. (29) 317  
 Sugimoto, T., see Tsukahara, Y. (29) 376
- Tada, S., see Matsumoto, M. (29) 157  
 Taguchi, A., see Mori, T. (29) 325  
 Tamada, Y., see Okamura, H. (29) 358  
 Tasaki, Y., see Matsumoto, M. (29) 157  
 Tashiro, Y., see Tsukahara, Y. (29) 376  
 Ticku, M.K., see Follesa, P. (29) 99  
 Tohyama, M., see Mori, T. (29) 325  
 Tomlinson, D.R., see Brewster, W.J. (29) 131  
 Tsujimoto, Y., see Higuchi, M. (29) 263

Tsukahara, Y., Houtani, T., Ueyama, T., Ikeda, M., Nakanishi, S., Yamamoto, A., Tashiro, Y. and Sugimoto, T.  
A subpopulation of large ganglion neurons express IsK protein mRNA: an in situ hybridization analysis in the rat eye (29) 376

Ueda, S., Kokotos Leonardis, E.T., Bell III, J. and Azmitia, E.C.  
Serotonergic sprouting into transplanted C-6 gliomas is blocked by S-100 $\beta$  anti-sense gene (29) 365  
Ueyama, T., see Tsukahara, Y. (29) 376

Van Groenigen, M., see Piosik, P.A. (29) 119  
Vellucci, S.V., Parrott, R.F., Da Costa, A.C., Ohkura, S. and Kendrick, K.M.  
Increased body temperature, cortisol secretion, and hypothalamic expression of c-fos, corticotrophin releasing hormone and interleukin-1 $\beta$  mRNAs, following central administration of interleukin-1 $\beta$  in the sheep (29) 64

Wanaka, A., see Mori, T. (29) 325  
Watanabe, Y., see Angulo, J.A. (29) 15  
Waymire, J.C., see Craviso, G.L. (29) 233  
Williams, A., see Angulo, J.A. (29) 15

Williams, C.E., see Beilharz, E.J. (29) 1  
Williams, C.E., see Beilharz, E.J. (29) 81  
Winston, S., see Shiromani, P.J. (29) 163  
Wright, D.E., see Numan, S. (29) 391

Yamaguchi, T., see Matsumoto, M. (29) 157  
Yamamoto, A., see Tsukahara, Y. (29) 376  
Yi, S.-D., see Mack, K.J. (29) 140

Zhong, P. and Ciaranello, R.D.  
Transcriptional regulation of hippocampal 5-HT<sub>1a</sub> receptors by corticosteroid hormones (29) 23  
Zuber, M.X., see Chiaromello, A. (29) 107

